UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/781,970	02/18/2004	William James Griffin	50037.240US01	4441
	7590 06/24/200 & GOULD (MICROSC	EXAMINER		
P.O. BOX 2903			ABDUL-ALI, OMAR R	
MINNEAPOLIS, MN 55402-0903			ART UNIT	PAPER NUMBER
			2173	
			MAIL DATE	DELIVERY MODE
			06/24/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/781,970	GRIFFIN ET AL.
Office Action Summary	Examiner	Art Unit
	OMAR ABDUL-ALI	2173
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTH OF THE M	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS fron the, cause the application to become ABANDONI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 29	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4)  Claim(s) 1-25 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdres 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-25 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/	awn from consideration.	
9) The specification is objected to by the Examir	ner	
10) The drawing(s) filed on is/are: a) according to the extension of	ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	ee 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Bures * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	tion No red in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal 6)  Other:	oate

Art Unit: 2173

## **DETAILED ACTION**

The following action is in response to the Request for Continued Examination (RCE) filed April 29, 2009. Amended Claims 1-25 are pending and have been considered below.

1. The prior art rejections have been withdrawn as necessitated by applicant's amendments.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-12, 14, and 16-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over McKay (US 2003/0217111) in view of Woltzen (US 2003/0197735) and further in view of Microsoft Windows XP Professional 2002 (hereinafter Windows XP).
- Claim 1: McKay discloses a method and system for managing a portal, comprising:
- a. selecting an element (tab) from a navigational hierarchy, the selected element being associated with a location accessible from the portal, the navigational hierarchy

being identified with metadata in a database (page 12, paragraph 122/page 8, paragraph 96).

McKay discloses selecting an interaction to be performed on the selected element (page 12, paragraph 123), but does not explicitly disclose the selecting is performed at an interface for modifying metadata associated with the element and accessing the location associated with the element, wherein the interface includes a menu displayed in association with the selected element of the navigational hierarchy, the menu including actions for modifying metadata of the selected element, and wherein the menu is superimposed over a portion of the navigational hierarchy. Windows XP discloses an interface for modifying metadata (control panel) which includes a menu that contains actions to modify metadata (rename) of the selected element, wherein the menu is superimposed over a portion of the navigational hierarchy (Figure 1). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the functionality of an interface which allows a user to modify metadata including a menu in the method disclosed by McKay. One would have been motivated to include this limitation in order to provide the user with customization capabilities.

c. retrieving metadata associated with the selected interaction and the selected element (page 8, paragraph 96).

McKay does not explicitly disclose determining whether the selected interaction corresponds to an action to modify the metadata by distinguishing between an action to modify metadata and a navigational interaction wherein the location being displayed is displayed simultaneously with the user interface for modifying metadata and the user

interface for accessing the location. Woltzen discloses a similar system that further discloses an interface which allows a user to navigate to access locations using tabs and for modifying metadata (Figure 3; '54', tab management tools). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to distinguish between an action to modify metadata and a navigational interaction wherein the location being displayed is displayed simultaneously with the user interface for modifying metadata and the user interface for accessing the location in McKay. One would have been motivated to include this feature in order to allow the user to modify interface content.

d. accessing the location from the portal in response to selection of a feature associated with the interaction when the interaction does not correspond to an action (page 12, paragraph 123).

Windows XP discloses when the interaction selected at the interface for modifying metadata associated with the element and accessing the location associated with the element corresponds to an action to modify the metadata, performing the action with the retrieved metadata and updating the metadata in the database based on the performed action. Particularly, Windows XP discloses providing a user the ability to edit the name of a category (Figure 1; rename My Documents). It is obvious that the metadata is updated in the database in order to save the changes that the administrator has made to the navigational hierarchy. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made that if an interaction corresponds to an action to modify the metadata, performing the action with the

retrieved metadata and updating the metadata in the database based on the performed action in McKay. One would have been motivated to modify the metadata for customization purposes.

Page 5

- Claim 2: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:
- a. the element is at least one of an area, a subarea, a listing, and intranet site, and an extranet site (page 12, paragraph 122).
- Claim 3: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:
- a. the element comprises a listing, and wherein the listing is arranged to provide access to at least one of a link, a resource, and a page from the portal (page 12, paragraph 122).
- Claim 4: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 3 above, and McKay further discloses:
- a. the listing is arranged to provide access to at least one of the link, the resource, and the page external to the portal (page 12, paragraph 122).
- Claim 5: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. the feature is at least one of a link, a resource, and a page (page 12, paragraph 123).

Claim 6: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. displaying the navigational hierarchy in accordance with the updated metadata (page 12, paragraph 122/page 8, paragraph 96).

Claim 7: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. authorizing user access to the element in the navigational hierarchy (page 11, paragraph 111).

Claim 8: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 7 above, and McKay further discloses:

a. displaying the element in the navigational hierarchy that a user is authorized to access (page 12, paragraph 115).

Claim 9: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 7 above, and McKay further discloses:

a. inheriting user authorization to access the element from a parent element, wherein metadata identifies the parent element and the inherited user authorization (page 12, paragraph 122).

Claim 10: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. selecting the element and selecting the action is performed using a web browser (page 11, paragraph 110).

Claim 11: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. selecting the element and selecting the action is performed by a direct link provided in a uniform resource locater in a web browser (page 11, paragraph 111).

Claim 12: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and Microsoft XP further discloses users may add additional elements to the navigational hierarchy (Figure 1; paste command). Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made that additional elements could be added to the navigational hierarchy of the portal site in McKay. One would have been motivated to add additional elements to their portal site for customization purposes.

Page 8

Art Unit: 2173

Claim 14: McKay, Windows XP, and Woltzen disclose a method and system for implementing an information portal for viewing information from disparate system's databases as in Claim 1 above, and Windows XP further discloses performing the action comprises removing elements from the navigational hierarchy of the portal website (Figure 1; delete command). Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made that elements could be removed from the navigational hierarchy of the portal site in McKay. One would have been motivated to remove elements for customization purposes.

Claim 16: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, and McKay further discloses:

a. filtering the element (page 12, paragraph 123).

Claim 17: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 1 above, but neither reference explicitly discloses performing the action comprises storing a subset of the retrieved metadata in a cache. However, using a cache is common when storing data in order to provide quick access before storing the data in a permanent database. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to store some of the metadata in the cache in McKay. One would have been motivated to store a subset of the retrieved metadata in the cache in order to eliminate some of the time required for regular memory access.

Application/Control Number: 10/781,970

Art Unit: 2173

Claim 18: McKay, Windows XP, and Woltzen disclose a method and system for implementing an information portal for viewing information from disparate system's databases as in Claim 17 above, but neither reference explicitly discloses retrieving metadata comprises retrieving metadata associated with the element from the cache. However, using a cache is common when retrieving data in order to provide faster access than retrieving the data from main Random Access Memory (RAM) memory. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to retrieve the metadata from a cache in McKay. One would have been motivated to retrieve the metadata from a cache in order to eliminate some of the time required for regular memory access.

Page 9

Claim 19: McKay, Windows XP, and Woltzen disclose a method and system for implementing an information portal for viewing information from disparate system's databases as in Claim 1 above, but neither reference explicitly discloses storing subareas and listings associated with a currently selected element in a cache.

However, using a cache is common when storing data in order to provide quick access before storing the data in a permanent database. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to store subareas and listings of a currently selected element in a cache in McKay. One would have been motivated to store this information in the cache in order to quickly retrieve this information by avoiding accessing the data from main RAM memory.

Art Unit: 2173

Claim 20: McKay, Windows XP, and Woltzen disclose a method and system for implementing an information portal for viewing information from disparate system's databases as in Claim 19 above, but neither reference explicitly discloses retrieving the subareas and listings that a user is authorized to access from the cache. However, using a cache is common when retrieving data in order to provide faster access than retrieving the data from main Random Access Memory (RAM) memory. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to retrieve the subareas and listings that a user is authorized to access from a cache in McKay. One would have been motivated to retrieve the data from a cache in order to eliminate some of the time required for regular memory access.

- 5. Claims 13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over McKay (US 2003/0217111) in view of Microsoft Windows XP Professional 2002 (hereinafter Windows XP) further in view of Woltzen (US 2003/0197735) and further in view of Poulsen (US 7,062,511).
- Claim 13: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 12 above, however neither reference explicity discloses adding an element to the navigational hierarchy at a pre-assigned time. Poulsen discloses a similar method and system for portal web site generation that further discloses the portal web server may be configured such that portal web sites are

Art Unit: 2173

generated at preset time intervals (column 7, lines 48-51). Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made that since <u>Poulsen</u> uses timing in the generation of the portal web sites, additional elements can be added according to time schedules. One would have been motivated to add the elements to the navigational hierarchy at a pre-assigned time in order to provide additional options at certain time periods of the day. For instance, for a financial website, some options may only be available during business hours, and an option may be provided exclusively during those business hours.

Claim 15: McKay, Windows XP, and Woltzen disclose a method and system for managing a portal as in Claim 12 above, however neither reference explicity discloses adding an element to the navigational hierarchy at a pre-assigned time. Poulsen discloses a similar method and system for portal web site generation that further discloses the portal web server may be configured such that portal web sites are generated at preset time intervals (column 7, lines 48-51). Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made that since Poulsen uses timing in the generation of the portal web sites, additional elements can be removed according to time schedules. One would have been motivated to remove the elements from the navigational hierarchy at a pre-assigned time in order to remove additional options at certain time periods of the day. For instance, for a financial website, some options may only be available during business

hours, and an option may be provided exclusively during those business hours. After business hours, this element would be removed from the navigational hierarchy.

4. Claims 21-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over <a href="Poulsen">Poulsen</a> (US 7,062,511) in view of Microsoft Windows XP Professional 2002 (hereinafter <a href="Windows XP">Windows XP</a>) and further in view of <a href="Woltzen">Woltzen</a> (US 2003/0197735).

Claim 21: <u>Poulsen</u> discloses a method and system for portal web site generation, comprising:

a. portal manager comprising an element database, the element databasestoring metadata(schema) associated with elements accessible from the portal (column 7, lines 56-65);

b. a user interface in communication with the portal manager, the user interface displaying on a first user interface a navigational hierarchy of the elements accessible from the portal and displaying on the first user interface information associated with the elements when they are accessed from the portal, wherein the navigational hierarchy of the elements is arranged in accordance with metadata in the element database, and wherein the user interface allows the user to edit the metadata associated with the elements (column 9, lines 12-17/column 9, lines 63-67 to column 10, lines 1-2).

Poulsen discloses a navigational hierarchy consisting of a home page and a set of tabbed portal web pages that appear on the home page, and displaying the content of the tabbed pages when the tabs are selected. The navigational hierarchy is arranged in

accordance with schema data (metadata) in the database, and the schema data (metadata) may be edited by editing the preferences and characteristics of the portlets. 

Poulsen does not explicitly disclose the user interface is for modifying metadata associated with the elements and accessing locations associated with the elements.

Windows XP discloses an interface (Control Panel) that allows a user to modify metadata associated with a category and access locations associated with categories (Figure 1; A user may rename the My Documents folder, and also open the folder to reveal the child elements). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the functionality of an interface which allows a user to modify metadata in the method disclosed by Poulsen. One would have been motivated to include this limitation in order to provide the user with customization capabilities.

<u>Poulsen</u> discloses navigating to a location within the portal to access information stored in the element database (column 12, lines 9-20).

Poulsen does not explicitly disclose displaying on the first user interface a menu adjacent to a selected element of the navigational hierarchy, the menu including an action list that includes a list of actions that allow a user to edit the metadata associated with the selected element wherein the list of actions displayed is dependent upon security privileges associated with the user and on the location within the portal being accessed by the user, the list of actions including an item to manage security settings, the item managing security settings to a currently selected element and child elements of the currently selected element. Windows XP discloses a menu adjacent to a selected

element which includes various actions to modify metadata as well as modify security settings associated with the element (Figure 2). Woltzen discloses a similar method that further discloses a list of actions that allow a user to edit tabbed elements and their associated content (Figure 3; '54', tab management tools). Poulsen discloses users may provide usernames and passwords to gain entry to the portal (column 10, lines 3-15). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include a menu containing an action list in Poulsen.

One would have been motivated to include an action list in Poulsen in order to allow the user to modify interface content.

<u>Poulsen</u> modified by <u>Woltzen</u> discloses allowing a user to select from the first user interface an interaction from the navigational hierarchy and from the action list (<u>Woltzen</u>, Figure 3).

Poulsen modified by Woltzen discloses determining whether a selected interaction corresponds to an action to modify the metadata by distinguishing between an action to modify metadata and a navigational interaction wherein the action to modify includes an action to add new content to the location being displayed in the user interface (add content tool) and wherein the information associated with the elements that is being displayed on the first user interface is displayed simultaneously with the action list and the navigation hierarchy. Woltzen discloses an interface which allows a user to navigate to access locations using tabs and for modifying metadata (Figure 3; '54', tab management tools). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to distinguish between an

action to modify metadata and a navigational interaction wherein the location being displayed is displayed simultaneously with the user interface for modifying metadata and the user interface for accessing the location in <u>Poulsen</u>. One would have been motivated to include this feature in order to allow the user to modify interface content.

Claim 22: Poulsen, Windows XP, and Woltzen disclose a method and system for portal web site generation as in Claim 21 above, but neither reference explicitly discloses the element database comprises an area database and a listing database, the area database storing metadata associated with areas accessible in the portal, and the listing database storing metadata associated with links accessible from the portal. However, Poulsen does discloses the portal database stores schema (metadata), which is responsible for rendering the portal web site (column 7, lines 56-65). Additionally, the examiner considers it immaterial as to which database stores the metadata for the portal, and that it would have been obvious to one having ordinary skill in the art at the time the invention was made that the metadata could be stored in one or more databases. One would have been motivated to store the metadata in specific databases in order to easily locate and retrieve the metadata from each individual database.

Claim 23: <u>Poulsen</u>, <u>Windows XP</u>, and <u>Woltzen</u> disclose a method and system for portal web site generation as in Claim 22 above, but neither reference explicitly discloses the portal manager further comprises an area cache and a listing cache, the area cache

storing a subset of metadata retrieved from the area database, the listing cache storing a subset of metadata retrieved from the listing database. However, using a partitioned cache is common when storing data in order to provide quick access before storing the data in a permanent database. Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to store data in separate caches. One would have been motivated to partition the cache in order to easily store and retrieve data separately without affecting the rest of the data stored in the cache.

Claim 24: Poulsen, Windows XP, and Woltzen discloses a method and system for portal web site generation as in Claim 23 above, but neither reference explicitly discloses that metadata associated with the element is retrieved from the area cache and the listing cache. However, using a partitioned cache is common when storing and retrieving data in order to provide quick access before storing the data in a permanent database. Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to store data in separate caches, and later retrieve the data from the cache when requested. One would have been motivated to retrieve the metadata from a partitioned cache in order to speed up the process of accessing the data since the address of the data is located separately from the rest of the data in the cache.

Claim 25: <u>Poulsen</u>, <u>Windows XP</u>, and <u>Woltzen</u> disclose a method and system for portal web site generation, and <u>Poulsen</u> further discloses the portal manager further

Art Unit: 2173

comprises security module configured to identify a user requesting access, and authenticate access to at least one of an element and metadata based on the identified user (page 11, paragraph 111).

## Response to Arguments

5. Applicant's arguments with respect to claims 1-25 have been considered but are moot in view of the new ground(s) of rejection.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to OMAR ABDUL-ALI whose telephone number is (571)270-1694. The examiner can normally be reached on Mon-Fri(Alternate Fridays Off) 9:30 - 7:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kieu Vu can be reached on 571-272-4057. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2173

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

OAA 6/18/2009

/Kieu Vu/

Supervisory Patent Examiner, Art Unit 2173